





light, the rate of response is about twice that of the response to the steady-state illumination of a flash lamp.




FIGURE 14. Relationship between log response and time for different intensities of light. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D.

The relationship between log response and time for different intensities of light is shown in Figure 14. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D.

For a given intensity of light, the rate of response is about twice that of the response to the steady-state illumination of a flash lamp.



FIGURE 15. Human eye showing the location of the retina and the position of the light source. The diagram is labeled 'FIGURE 15. Human eye showing the location of the retina and the position of the light source.'

The relationship between log response and time for different intensities of light is shown in Figure 14. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D.

For a given intensity of light, the rate of response is about twice that of the response to the steady-state illumination of a flash lamp.

The relationship between log response and time for different intensities of light is shown in Figure 14. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D.

For a given intensity of light, the rate of response is about twice that of the response to the steady-state illumination of a flash lamp.

The relationship between log response and time for different intensities of light is shown in Figure 14. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D. The curves are labeled A, B, C, and D.